



**Worldwide
Storage
Solutions**

VERSAMAX™
SOLID PHENOLIC LOCKERS



888-527-8638

ArtMetalProducts.com



VERSAMAX™ SOLID PHENOLIC LOCKERS

VersaMax™ Solid Phenolic lockers are engineered to the same high level of integrity found throughout our AMP locker line.


The unique qualities of phenolic resin offer many value added benefits:

- ✓ **Environmentally smart**
- ✓ **Moisture resistant, perfect for wet or damp areas**
- ✓ **Mold and mildew resistant**
- ✓ **Many color and finish options**
- ✓ **Laminate surface is graffiti and scratch resistant**
- ✓ **Standard Phenolic material is Class 2, Class B Fire Rated**
ASTM E84 Class 1, Class A Fire Rated is available as an upgrade




VERSAMAX™ SOLID PHENOLIC LOCKERS

VersaMax™ Solid Phenolic lockers are available in a variety of locker styles to meet your specific storage needs.



- **Single Tier** lockers are perfect for hanging of longer garments
- **Double Tier** lockers offer plenty of height for hanging coats and garments while using half the floor space of a single tier locker
- **Triple Tier** lockers are our most economical wardrobe locker allowing hanging garments to be draped from the coat hook
- **Four Tier** lockers provide ample storage for larger personal items like backpacks, totes, etc.



- **Five tier** lockers are available in 12" and 14.4" high openings allowing for storage of personal belongings
- **Six Tier** lockers are the most economical storage solution for purses, bags, phones and other smaller personal items
- **Z-Style Lockers** are the perfect compromise between single and double tier lockers offering the perfect solution when space is at a premium, but hanging of longer garments is needed.



STOCK PHENOLIC LOCKER SIZES

Tier	Width	Depth	Opening Height	Overall Height
Single Tier	12"	18"	72"	72"
Double Tier	12"	18"	36"	72"
Six Tier	12"	18"	12"	72"
Z-Tier	12"	18"	42"	72"

Available from stock with three locking options:
 Padlock Hasp, Key cam lock, Digitech electronic locks.
STOCK COLOR 7284-58 Figured Annigre
 Stainless Steel Coat Rods are standard for Stock Single Tier.

PRODUCTION PHENOLIC LOCKER SIZES

Tier	Width	Depth	Opening Height	Overall Height
Single Tier	9", 12", 15", 18", 24"	12", 15", 18", 20", 24"	36", 48", 60", 72"	36", 48", 60", 72"
Double Tier	9", 12", 15", 18", 24"	12", 15", 18", 20"	18", 24", 30", 36"	36", 48", 60", 72"
Triple Tier	9", 12", 15", 18"	12", 15", 18", 20"	12", 20", 24"	36", 60", 72"
Four Tier	9", 12", 15", 18"	12", 15", 18", 20"	12", 15", 18"	48", 60", 72"
Five Tier	9", 12", 15", 18"	12", 15", 18", 20"	12", 14.4"	60", 72"
Six Tier	9", 12", 15", 18"	12", 15", 18", 20"	12"	72"
Z-Style	12", 15", 18"	12", 15", 18", 20"	36/24", 42"/30"	60", 72"
Sport	18", 24" 30", 36"	18", 20", 24"	N/A	72", 84"

VERSAMAX™ SPECIFICATIONS

DOORS:

Our door over body design provides several major benefits

- Allows air-flow from all directions for maximum locker ventilation without unsightly door perforations
- Provides an added 2-3" of clear locker opening which can provide up to 25% more storage space vs conventional door in frame lockers
- Esthetically pleasing modern design with clean shadow lines and reveals
- Doors are 1/2" thick solid phenolic

BODY:

Construction of our locker body is second to none

- Interlocking components by means of dado and mortise & tenon joints reinforced with stainless steel screws for perfect alignment and maximum strength
- Top, bottoms and shelves are 3/8" thick solid phenolic
- Sides are 5/16" thick solid phenolic
- Backs are 1/4" thick solid phenolic

HARDWARE AND ACCESSORIES:

We utilize the industry's best available hardware to meet the high expectations of our customers.

- **Door Hinges** are 14 gauge 5-knuckle 304 stainless steel with eased top and bottom edges for safety allow doors to open a full 180-degrees.
- **Hinges** are powder coated black to match phenolic core
- **Padlock Hasp** is fabricated from 11 gauge 304 stainless steel
- **Hanging garment J-Hooks** are 304 stainless steel
- **Stainless Steel Coat Rods** are optional for 1-Tier, 2-Tier, & Z-Style lockers 18" doors & deeper
- **Door Pull** is 304 Stainless Steel and powder coated black to match phenolic core
- **Number Plates** are aluminum and included at no additional charge. They are etched with numbers 1 and up unless otherwise specified. Doors are pre-drilled to allow for easy installation of number plates
- **Assembly Hardware:** Stainless Steel tamper resistant torx head through-bolts are used for locker component assembly and hardware installation

VARIOUS LOCKING OPTIONS:



Padlock Hasp



DigiTech™ H1
Electronic Locks



Built-In Key Cam Locks



DigiTech™ RFID
Electronic Locks



Built-In Combination Locks



Mechanical Shared Use
Locks



Coin or Token Locks





VERSASPORT™ SOLID PHENOLIC LOCKERS

STANDARD FEATURES

- ✓ 3/8" Panel Construction with 1/4" Back
- ✓ Shoulder Pad Storage Area
- ✓ Security Box with 1/2" thick door
- ✓ Standard with padlock hasp
- ✓ Open Shelf Area
- ✓ Stainless Steel Coat Rod
- ✓ Clothing Hooks
- ✓ Ventilated Foot Locker With Seat

Available Sizes

Widths: 18", 24", 30", 36"

Depths: 18", 20", 24"

Heights: 72", 84"



OPTIONAL FEATURES



Name Plate Holder
NPH-0212S (12" wide)



Shoulder Pad Rack
SPHR14R



Shoulder Pad & Helmet Rack
SPHR18R



Standard Padlock
Cam Hasp



Built In
Combination Lock
Master Lock #1655



DigiTech-H1™
Electronic Lock



Seat Cushion (Black)
SC2424BK
SC3024BK



USB Outlet in Security Box
USB-4
USB-4-110



UV Full Color Logo
Print on security box door
RLDOORLOGO

LOCK OPTIONS

CUSTOM SIZES, CONFIGURATIONS AND SPECIALS AVAILABLE AT PRODUCTION LEAD-TIMES.

BENCHES & PEDESTALS

Locker Benches are 9-1/2" wide x 3/4" thick. Bench tops are standard in one foot increments from 3' thru 12'. Non-standard lengths are available on special order (pedestal requirement will be for next standard size up).

BENCH TOP LENGTH	3' - 5'	6' - 8'	9' - 12'
PEDESTALS REQUIRED	2	3	4

Pedestal spacing not to exceed 40" O.C.




SHOWN WITH 4810 PEDESTALS



4805 Heavy Duty Steel Pedestal

fabricated from 14 gauge steel tube with 11 gauge formed flanges
Color: Tan



8032 Adjustable Steel Pedestal

with cast aluminum base and concealed anchoring to floor
Color: Tan



4810 EXTRA Heavy-Duty Cast Iron Pedestal

with 6" diameter top and bottom flanges
Color: Tan



4820 Aluminum Movable Pedestal

includes holes for optional permanent anchoring to floor
Color: Tan



4825 Stainless Steel Movable Pedestal

fabricated from 16 gauge stainless steel. Designed for movable and fixed use
Color: Unpainted



VersaMax™ lockers use Formica® engineered surfaces, world's largest manufacturer of Phenolic panels

18 DESIGNER COLORS

SOLID COLOR FINISH



9243-58
ZEN GREY

928-58
MOUSE

839-58
STOP RED

7897-58
SPECTRUM GREEN



7197-58
DOVER WHITE

851-58
SPECTRUM BLUE

969-58
NAVY BLUE

909-58
BLACK

SPECKLE FINISH



692-58
FOLKSTONE CELESTA

515-58
GRAPHITE GRAPHIX

7018-58
NAVY GRAPHIX

WOODGRAIN FINISH



8905-58
WAXED MAPLE

7012-58
AMBER MAPLE

7284-58
**STOCK COLOR
FIGURED ANNIGRE**

5487-58
OILED WALNUT



5481-58
OILED OLIVEWOOD

5886-58
SORREL CHERRY

8848-58
BLACKENED LEGNO

Colors shown are an approximate representation of the actual color. Please do not make your final color selection from printed media or Internet images, as they may not be 100% accurate. For a more accurate color selection call 888-527-8638 or e-mail us at info@ArtMetalProducts.com to request actual color samples.



1-888-527-8638

ArtMetalProducts.com

Worldwide Storage Solutions

401 Jim Moran Blvd.
Deerfield Beach, FL 33442