



**WORLDWIDE
STORAGE
SOLUTIONS**

LOCKER BROCHURE



PROUDLY MANUFACTURED IN AMERICA SINCE 1914
WWW.ARTMETALPRODUCTS.COM



OPEN
HERE
FOR STEEL
LOCKER
SPECIFICATION
GUIDE

**LOCKERS • SHELVING • CABINETS
PORTABLE GATES • WORKBENCHES**

INDUSTRY'S LARGEST QUICK-SHIP PROGRAM

QUICK-SHIP BENEFITS

- ✓ No Setup Charges
- ✓ No Minimum Order Quantity
- ✓ Industry's Best Discount

ADVANTAGES OF SIX DISTRIBUTION CENTERS

- ✓ Reduces Freight Cost
- ✓ Reduces Transit Time
- ✓ Minimizes Carrier Handling

**All In-Stock Products
Ship in 5 Business Days!**





ART METAL PRODUCTS

PAGE	LOCKER TYPE	Catalog Code	Body Construction	Door Gauge	Ventilation	Door Ventilation Options	Door Stiffener Panel
13	Standard KD Wardrobe Lockers, 12" wide and wider	SK	Knock Down	16 CRS	Louvered	S-A-F, Diam Perf	No
13	Standard KD Wardrobe Lockers, 9" wide	SK	Knock Down	18 CRS	Louvered	S-A-F, Diam Perf	No
13	Standard KD Wardrobe Lockers, 12" wide and wider with MAX Body Option ¹	SK	Knock Down	16 CRS	Louvered	S-A-F, Diam Perf	No
13	Standard KD Box Lockers, 9" wide with MAX Body Option ¹	SK	Knock Down	18 CRS	Louvered	S-A-F, Diam Perf	No
14	Standard KD Two-Person Lockers	SK	Knock Down	18 CRS	Louvered ²	S-A-F, Diam Perf	No
14	Standard KD Two-Person Lockers with MAX Body Option ¹	SK	Knock Down	18 CRS	Louvered ²	S-A-F, Diam Perf	No
14	Standard KD Duplex Lockers	SK	Knock Down	18 CRS	Louvered	S-A-F, Diam Perf	No
14	Standard KD Duplex Lockers with MAX Body Option ¹	SK	Knock Down	18 CRS	Louvered	S-A-F, Diam Perf	No
13-14	Standard KD Box Lockers includes 16-Person & 4-wide wall mount	SK	Knock Down	18 CRS	Louvered	Plain, S-A-F, Diam Perf	No
13	Standard KD Box Lockers with MAX Body Option ¹	SK	Knock Down	18 CRS	Louvered	Plain, S-A-F, Diam Perf	No
14	Standard Quiet KD Wardrobe Lockers, 12" wide and wider	SQ	Knock Down	16 CRS	Plain		No
14	Standard Quiet KD Wardrobe Lockers, 9" wide	SQ	Knock Down	18 CRS	Plain		No
14	Standard Quiet KD Wardrobe Lockers, 12" wide & wider with MAX Body Option ¹	SQ	Knock Down	16 CRS	Plain		No
14	Standard Quiet KD Wardrobe Lockers, 9" wide with MAX Body Option ¹	SQ	Knock Down	18 CRS	Plain		No
14	Artisan Quiet KD Wardrobe Lockers, 12" wide and wider	AQ	Knock Down	16 CRS	Plain		No
14	Artisan Quiet KD Wardrobe Lockers, 9" wide	AQ	Knock Down	18 CRS	Plain		No
14	Artisan Quiet KD Wardrobe Lockers, 12" wide & wider with MAX Body Option ¹	AQ	Knock Down	16 CRS	Plain		No
14	Artisan Quiet KD Wardrobe Lockers, 9" wide with MAX Body Option ¹	AQ	Knock Down	18 CRS	Plain		No
15	HDC KD Wardrobe Lockers	HDC	Knock Down	14 CRS	Louvered	Plain, S-A-F, Diam Perf	No
15	HDC KD Wardrobe Lockers with MAX Body Option ¹	HDC	Knock Down	14 CRS	Louvered	Plain, S-A-F, Diam Perf	No
15	HDC Elite Wardrobe Lockers	HDC E	Knock Down	14 CRS	Louvered	Plain, S-A-F, Diam Perf	Yes
15	HDC Elite Wardrobe Lockers with MAX Body Option ¹	HDC E	Knock Down	14 CRS	Louvered	Plain, S-A-F, Diam Perf	Yes
15	Magnum Student Wardrobe Lockers	AMS	Knock Down	14 CRS	Plain	Louvered, S-A-F, Diam Perf	Yes
15	Magnum Student Wardrobe Lockers with MAX Body Option ¹	AMS	Knock Down	14 CRS	Plain	Louvered, S-A-F, Diam Perf	Yes
16	HDV KD Wardrobe Lockers	HV	Knock Down	14 CRS	Diam Perf	Louvered, Plain, S-A-F	No
16	HDV Elite KD Wardrobe Lockers	HVE	Knock Down	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
16	HDV KD Box Lockers	HV	Knock Down	14 CRS	Diam Perf	Louvered, Plain, S-A-F	No
16	Magnum HDV KD Wardrobe Lockers	AMH	Knock Down	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
16	Safety-View KD Wardrobe Lockers	SV	Knock Down	16 CRS/Poly ³	Plain		No
16	Safety-View Plus KD Box Lockers includes 16-Person & 4-wide wall mount	SVP	Knock Down	1/8" Poly ⁴	Plain		No
20	304 Stainless Steel (Wardrobe)	SS	Knock Down	16 SS	Louvered	N/A	No
20	304 Stainless Steel (Box)	SS	Knock Down	18 SS	Louvered	N/A	No
6	AMP 1001 Turn-Handle Athletic Wardrobe Lockers	AWT	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	No
6	AMP 1001 Turn-Handle Elite Athletic Wardrobe Lockers	AET	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
6	AMP 1002 Champ Athletic Wardrobe Lockers	AWA	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	No
6	AMP 1002 Champ Elite Athletic Wardrobe Lockers	AEA	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
7	AMP 1003 Champ Corridor Lockers	AWC	Twin-Frame All-Welded	14 CRS	Louvered	Plain, S-A-F, Diam Perf	No
7	AMP 1003 Champ Elite Corridor Lockers	AEC	Twin-Frame All-Welded	14 CRS	Louvered	Plain, S-A-F, Diam Perf	Yes
7	AMP 1004 Bulldog Athletic Lockers	ABA	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
8	AMP 1005 Bulldog Corridor Lockers	ABC	Twin-Frame All-Welded	14 CRS	Plain	Louvered, S-A-F, Diam Perf	Yes
9	AMP 1006 Athletic Box Lockers (Side Hinge)	AWA	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	No
9	AMP 1006 Elite Athletic Box Lockers (Side Hinge)	AEA	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
5	ProSport Open-Front Sport Lockers	PS	Twin-Frame All-Welded	Open Front	N/A		N/A
	Wallet Security Box		Twin-Frame All-Welded	16 CRS	Plain		No
	12" Wide Security Box		Twin-Frame All-Welded	14 CRS	Plain	Louvered, S-A-F, Diam Perf	No
	Full-Width Security Compartment		Twin-Frame All-Welded	14 CRS	S-A-F	Louvered, Plain, Diam Perf	No
	Foot Locker		Twin-Frame All-Welded	14 CRS	Plain	Front has S-A-F vents	Yes
4	Champ Athletic, Wardrobe, Angle-Framed Locker	AFA	Angle-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Optional
4	Champ Athletic Box, Angle-Framed Locker	AFA	Angle-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Optional
4	Bulldog Athletic, Angle-Framed Locker	AFBA	Angle-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Optional
4	Turn-Handle Athletic Angle-Framed Locker	AFTA	Angle-Framed All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Optional
8	Equipment Storage - Double Door Lockers (TA50)	AWT	Twin-Frame All-Welded	14 CRS	Diam Perf	Louvered, Plain, S-A-F	Yes
10	Task Force XP Emergency Response Locker	HERL	All-Welded	14 Galv	Louvered	Plain, S-A-F, Diam Perf	Yes
10	Cubbie Lockers		All-Welded	N/A	N/A	N/A	N/A
12	Uniform Exchange Lockers	HUE	Assembled	20 CRS	Louvered ⁵		No
11	Turnout Gear Lockers	TG	Fully-Framed All-Welded	Open Front	N/A		N/A
	12" Wide Security Box		Fully-Framed All-Welded	14 Ga Galv	Plain		No
	Foot Locker		Fully-Framed All-Welded	14 Ga Galv	Plain	Front has Security plus vents	Yes
	Full Door		Fully-Framed All-Welded	14 Ga Galv	Diam Perf		Yes

FOOTNOTES:

1. MaxOption upgrades standard 24 gauge body components to 16 gauge, back will be 18 gauge
2. Two-Person lockers include plain (Non-louvered) upper box doors. Wardrobe doors are louvered
3. Safety-View lockers include 16 gauge CRS doors with a polycarbonate panel at top and bottom of each door
4. Safety-View Plus lockers include clear polycarbonate doors available in door 4-tier and 12" wide x 12" high doors 5-tier, 6-tier, 16 person and 4
5. Uniform Exchange 8 and 9 person lockers have louvered patron doors.
6. Uniform Exchange Locker main doors have multi-point, key operated latch have a single point padlock knob handle.

TS SPECIFICATIONS GUIDE

Sound Deadening Panel	Hinge Type	Latching Type	Handle Type	Side Gauge	Ventilated Sides	Top Gauge	Bottom Gauge	Hat/Int Shelf Gauge	Back Gauge	Optional Ventilated Backs	Optional Integral Slope Top
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Friction Catch	Finger Pull	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Friction Catch	Finger Pull	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
Yes	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
Yes	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
Yes	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
Yes	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Single-Point	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Single-Point	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Friction catch	Finger Pull	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Single-Point	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Lifter	Drawn	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	Piano	Friction Catch	Finger Pull	24 Ga CRS	No	24 Ga CRS	24 Ga CRS	24 Ga CRS	24 Ga CRS	No	No
No	5 Knuckle	Lifter	Drawn	24 Ga SS	No	24 Ga SS	24 Ga SS	24 Ga SS	24 Ga SS	No	No
No	5 Knuckle	Friction Catch	Finger Pull	24 Ga SS	No	24 Ga SS	24 Ga SS	24 Ga SS	24 Ga SS	No	No
No	Piano	3-Point Positive	Turn-Handle	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	Piano	3-Point Positive	Turn-Handle	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	Piano	Lifter	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	Piano	Lifter	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	No	Yes
No	Piano	Lifter	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	No	Yes
No	Piano	Single-Point	Drawn	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	Piano	Single-Point	Drawn	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	No	Yes
No	Piano	Friction Catch	Finger Pull	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	Piano	Friction Catch	Finger Pull	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	Yes
No	N/A	N/A	N/A	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	Friction Catch	Finger Pull	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	16 Ga CRS	N/A	No
No	Piano	Friction Catch	Finger Pull	16 Ga CRS	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	N/A	No
No	Top Hinged	Spring Bolt	Padlock Hasp	13 Ga Exp Mtl	No	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	N/A	No
No	Piano	Padlock Loop	Padlock Hasp	13 Ga Exp Mtl	No	14 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	N/A	No
No	3-1/2"	Lifter	Drawn	13 Ga Exp Mtl	1/2" Exp Metal	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	13 Ga Exp Mtl	Yes
No	3-1/2"	Friction Catch	Finger Pull	13 Ga Exp Mtl	1/2" Exp Metal	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	13 Ga Exp Mtl	Yes
No	3-1/2"	Single-Point	Drawn	13 Ga Exp Mtl	1/2" Exp Metal	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	13 Ga Exp Mtl	Yes
No	3-1/2"	3-Point Positive	Turn-Handle	13 Ga Exp Mtl	1/2" Exp Metal	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	13 Ga Exp Mtl	Yes
No	Piano	3-Point Positive	Turn-Handle	16 Ga CRS	Diam Perf	16 Ga CRS	16 Ga CRS	16 Ga CRS	18 Ga CRS	Diam Perf	No
No	Piano	3-Point Positive	Turn-Handle	16 Ga Galv	No	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	No	No
N/A	N/A	N/A	N/A	16 Ga CRS	No	16 Ga CRS	16 Ga Galv	16 Ga CRS	18 Ga CRS	No	No
No	5 Knuckle	See Note 6	See Note 6	24 Ga CRS	No	24 Ga CRS	24 Ga Galv	24 Ga CRS	24 Ga CRS	Std	No
No	N/A	N/A	N/A	13 Ga Exp Mtl	Exp Metal	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	13 Ga Exp Mtl	No
No	3-1/2"	Friction Catch	Finger Pull	16 Ga Galv	No	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	N/A	N/A
No	Piano	Padlock Loop	Padlock Hasp	13 Ga Exp Mtl	Exp Metal	14 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	N/A	N/A
No	3-1/2"	Lifter	Drawn	13 Ga Exp Mtl	Exp Metal	16 Ga Galv	16 Ga Galv	16 Ga Galv	18 Ga Galv	N/A	N/A

LEGEND:

MATERIAL

- CRS: Cold roll sheet steel
- GALV: Galvanneal corrosion resistant sheet steel
- EXP MTL: 13 Gauge 1/2" flattened expanded metal

HINGES

- 3-1/2": 13 gauge 7-knuckle hinges, welded to door and frame (angle frame only), riveted to frame (Turnout Gear)
- Piano: 16 gauge continuous piano hinge, riveted to frame, welded to door
- Top Hinged: 3/16" continuous hinge rod- concealed, riveted to door behind number plate

12" wide x 18" high

1/2" wide wall mount only.

Patron doors



Specify **SAFEMESH84™** for the industry's safest high ventilation athletic lockers.

AMP FULLY-FRAMED ALL-WELDED LOCKERS FEATURE SAFEMESH84, THE INDUSTRY'S STRONGEST AND SAFEST EXPANDED METAL



ART METAL PRODUCTS

1/2" 13 Gauge, Flattened, Expanded Metal



COMMON

3/4" 13 Gauge, Flattened, Expanded Metal

RIGIDITY:

84% more steel ensures a more rigid unit

STRENGTH:

84% more steel than 3/4" style

SAFETY:

Smaller 1/2" diamond design keeps fingers out

SECURITY:

Reduces risk of loss, theft and content damage



ALL AMP METAL AND PLASTIC LOCKERS ARE GREENGUARD GOLD CERTIFIED

Greenguard is an indoor air quality certification program for low emitting products and materials that evaluates over 75,000 chemicals, including volatile organic compounds, carcinogens and reproductive toxins. Referenced in both the Collaborative for High Performance Schools (CHPS) and the Leadership for Energy and Environment Design (LEED) Building Rating System, Greenguard Gold Certification establishes strict chemical emission standards for products intended for use in environments where children and others work, play or reside.



GALVANITE™ Corrosion resistant sheet steel prevents rust and corrosion

IDEAL FOR USE IN HIGH HUMIDITY AREAS, OUTDOOR LOCATIONS, NEAR SHOWER, POOL AREAS AND FOOD INDUSTRY FACILITIES

GALVANITE™, is AMP's trade marked name for lockers and cabinets manufactured with galvanneal sheet steel components and finished with an electrostatically applied high-grade powder coat finish. Galvanite and

powder coat offer exceptional double protection against corrosion, even under the most adverse conditions. Tests indicate that galvanneal increases the estimated lifecycle threefold.


GALVANITE™ COLD ROLLED SHEET STEEL

with our powder coat finish after a 336 hour salt spray test.



COMMON COLD ROLLED SHEET STEEL

with a 1 mil dry film build paint thickness after a 336 hour salt spray test.



WHAT IS GALVANNEAL?

Galvanneal is the result of the combined processes of galvanizing (hot-dipped zinc coating) and annealing (heat treatment). Galvanneal does not flake off its galvanized coating when formed, stamped, and bent.

The very fine matte finish acts like a primer that easily adheres to paint. These characteristics make galvannealed sheet steel ideal for steel lockers in high humidity, corrosion prone areas.

VENTILATION

- DIAM PERF: Diamond perforated
- PLAIN: No louvers
- S-A-F: Secure Air Flow door ventilation
- LOUVERED: 3" louvers

HANDLES

- Turn-Handle: Projecting 3-point Cremone Handle with 3/8" diameter lock rods engaging frame at top, bottom and jamb
- Drawn: Seamless deep drawn stainless steel recessed handle
- Padlock Hasp: Projecting spring-bolt latch with padlock hasp
- Finger Pull: Thru-the-door projecting padlock hasp with finger pull



**ANGLE-FRAME
ALL WELDED**



ANGLE-FRAMED All-Welded Athletic Lockers

A TRADITIONAL DESIGN THAT HAS BEEN ENGINEERED FOR TODAY'S DEMANDING ENVIRONMENTS.

Fully-framed all-welded lockers with innovative 1/2" 13 gauge flattened expanded metal sides and unique double frame front members provide rigidity, strength and durability designed to outlast the competition.



▪ **Fully-Framed** ▪ **Flexible Design** ▪ **Maximum Durability** ▪ **High Security**

WITH A MULTITUDE OF CONFIGURATIONS AND 3 LATCHING OPTIONS, OUR ANGLE-FRAME LOCKER CAN PROVIDE THE DURABILITY REQUIRED FOR A LIFETIME OF SERVICE.

Angle-Framed Wardrobe Locker Features

BODY CONSTRUCTION: Angle-framed all-welded construction, front frame member is backed by a full-height 16 gauge steel channel, 13 gauge 1/2" flattened expanded metal sides, 16 gauge continuous top, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 18 gauge solid back

DOORS: 14 gauge diamond perforated doors are standard. Plain, louvered and Secure-Air-Flow door styles are available

HANDLE/LATCHING: 3 methods of latching available: traditional multi-point latching, maintenance-free single-point latching and high-security 3-point turn-handle latching

HINGES: 13 gauge 3-1/2" 7 knuckle hinges

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher, no hooks for box lockers

WARRANTY: Lifetime

SIZES: See page 6 for standard wardrobe & box locker sizes



WARDROBE DOOR LATCHING OPTIONS



Angle-Framed lockers feature the industry's strongest and safest expanded metal.

- 84% stronger than all competitors
- Cannot put fingers thru mesh



Traditional

Multi-point lift-type latching



Maintenance-Free

Single-point latching



High-security

3-point turn-handle latching



Also Available with side hinged box doors



All-welded angle-framed construction for maximum unit strength, rigidity and durability



Heavy-Duty 13 gauge 3-1/2" 7-knuckle hinge welded to both the door and frame



13 gauge 1/2" flattened expanded metal is the strongest and safest in the industry



Optional Integral Slope Top is fabricated of 16 gauge steel and is reinforced at each divider



**TWIN-FRAME
ALL WELDED**



Our complete line-up of open-front sport lockers is a collection of specialty lockers engineered for high school, collegiate and professional team organizations who demand high performance equipment storage solutions.



Our Pro-Sport Twin-Frame all-welded open-front athletic lockers are designed to accommodate the storage of a wide variety of athletic gear and apparel while allowing maximum ventilation.

Our base model Pro-Sport locker includes one upper hat shelf, stainless steel coat rod and two hooks. You can choose from three upper security compartments for personal storage: a small wallet security box, a 12" wide side hinged security box or the full width top hinged security compartment.

In the lower area, you can add a shelf/seat or opt for the foot locker/seat for a lockable equipment storage area.

Pro-Sport lockers feature Twin-Frame design which provides two front frame channels between sides of multiple column units and integral sides which are diamond perforated for ventilation. Pro-Sport lockers are engineered to last the lifetime of your facility.

WE GUARANTEE IT!



Underside of foot locker seat is reinforced to support today's athlete.



Standard stainless steel coat rod



Optional full-width top hinged security compartment provides ample storage space with easy access to contents.



Shown with optional wallet security box

Shown with optional full-width top hinged security compartment, and lower shelf/seat

Base model includes upper hat shelf stainless steel coat rod and coat hooks

LOCKER SIZES		
Widths	12", 15", 18", 24", 30", 33", 36"	ProSport lockers will ship in multiple column units up to 60" wide to meet individual job site conditions.
Depths	12", 16", 18", 22"	
Nominal Column Heights	60", 72", 84"	




**TWIN-FRAME
ALL WELDED**



AMP-1001 Turn-Handle Athletic Lockers

3-POINT TURN-HANDLE LATCHING AND ALL-WELDED CONSTRUCTION MAKE THIS LOCKER ONE OF THE MOST RUGGED AND SECURE.



3-Point projecting turn-handle latching

AMP-1001 Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 16 gauge continuous top, 16 gauge diamond perforated sides are integral with front vertical frame, 18 gauge solid back

DOORS: 14 gauge diamond perforated doors are standard. Plain, Secure-Air-Flow, and louvered door styles are available

HANDLE: 3-point turn-handle latching

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 3-point turn-handle latching engaging at frame top, bottom and center side of door, 3/8" diameter lock rods are

the heaviest in the industry, 3/16" turn-handle welded to 11 gauge cam, 11 gauge lock plate keeper is welded to center side of frame

HINGES: 16 gauge continuous piano hinge

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime


SIZES: See chart below for standard wardrobe locker sizes

Upgrade to AMP-1001E Elite Series lockers which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 12" wide AMP-1001E Elite Series lockers. Not available in 9" wide lockers.



AMP-1002 Champ Athletic Lockers

OUR TWIN-FRAME ALL-WELDED LOCKER WITH THE DEEP-DRAWN SEAMLESS STAINLESS STEEL RECESSED HANDLE IS THE PERFECT CHOICE FOR THE DEMANDING DESIGNER.



Seamless deep drawn stainless steel recessed handle with gravity lift-type latch

AMP-1002 Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 16 gauge continuous top, 16 gauge diamond perforated sides are integral with front vertical frame, 18 gauge solid back

DOORS: 14 gauge diamond perforated doors are standard. Plain, Secure-Air-Flow, Safety-View and louvered door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG

welded to frame, gravity lift-type multi-point

SPRING LOADED LATCHING:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

Upgrade to AMP-1002E Elite Series lockers which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide AMP-1002E Elite Series lockers.



STANDARD WARDROBE SIZES FOR ALL TWIN-FRAME ALL-WELDED LOCKERS

Single Tier	Double Tier	Triple Tier
Widths 9", 12", 15", 18", 24"	Widths 9", 12", 15", 18", 24"	Widths 9", 12", 15", 18", 24"
Depths 12", 16", 18", 22"	Depths 12", 16", 18", 22"	Depths 12", 16", 18", 22"
Column Heights 36", 48", 60", 72"	Opening Heights 24", 30", 36"	Opening Heights 20", 24"
	Column Heights 48", 60", 72"	Column Heights 60", 72"



**TWIN-FRAME
ALL WELDED**



AMP-1003 Champ Corridor Lockers

LOUVERED DOORS, SOLID SIDES AND DEEP-DRAWN SEAMLESS STAINLESS STEEL RECESSED HANDLE MAKE AMP-1003 LOCKERS THE CLASSIC CHOICE FOR WELDED CORRIDOR LOCKERS.



Seamless deep drawn stainless steel recessed handle with gravity lift-type latch

AMP-1003 Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 16 gauge continuous top, 16 gauge solid sides are integral with front vertical frame, 18 gauge solid back

DOORS: 14 gauge louvered doors are standard. Plain, Secure-Air-Flow, Safety-View and diamond perforated door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame, gravity lift-type multi-point spring

LOADED LATCHING:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

SIZES: See page 6 for standard wardrobe locker sizes

Upgrade to AMP-1003E Elite Series lockers which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide AMP-1003E Elite Series lockers.



AMP-1004 Bulldog Athletic Lockers

THIS PREMIUM ATHLETIC LOCKER WITH SINGLE-POINT LATCHING MECHANISM HAS NO MOVING PARTS PROVIDING A QUIET AND MAINTENANCE-FREE OPERATION.

Twin-Frame design, deep-drawn seamless stainless steel recessed handle, continuous piano hinge and torque-free reinforced heavy-gauge door are standard.



Deep drawn stainless steel recessed handle with single-point latching

AMP-1004 Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 16 gauge continuous top, 16 gauge diamond perforated sides are integral with front vertical frame, 18 gauge solid back

DOORS: 14 gauge diamond perforated doors and full-height door stiffener are standard. Plain, Secure-Air-Flow and louvered door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle is standard.

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point maintenance-free quiet latching system, 11 gauge MIG welded latch with pry resistant lug

HINGES: 16 gauge continuous piano hinge

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

SIZES: See page 6 for standard wardrobe locker sizes

Bulldog lockers include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide AMP-1004 Bulldog lockers.





**TWIN-FRAME
ALL WELDED**



AMP-1005 Bulldog Corridor Lockers

OUR SINGLE-POINT ALL-WELDED CORRIDOR LOCKERS HAVE ACHIEVED A STANDARD OF EXCELLENCE THAT ONLY ART METAL PRODUCTS CAN PROVIDE.



Deep drawn stainless steel recessed handle with single-point latching

AMP-1005 Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 16 gauge continuous top, 16 gauge solid sides are integral with front vertical frame, 18 gauge solid back

DOORS: 14 gauge plain doors and a full-height door stiffener are standard. Secure-Air-Flow, diamond perforated and louvered door styles are available

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point maintenance-free quiet latching system, 11 gauge MIG welded latch with pry resistant lug

HINGES: 16 gauge continuous piano hinge

SHELVES: 16 gauge hat shelf for single tier openings 60" and 72" high, 16 gauge intermediate shelves

HOOKS: 2-single hooks and 1-double hook is standard. 1-double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

WARRANTY: Lifetime

SIZES: See page 6 for standard wardrobe locker sizes

Bulldog lockers include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide AMP-1005 Bulldog lockers.



TA-50 Equipment Storage Lockers



3-point turn-handle latching

TA-50 Equipment Storage Locker Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base, 16 gauge continuous top, 16 gauge diamond perforated sides are integral with front vertical frame, 18 gauge solid back. Optional solid sides are available

DOORS: 14 gauge diamond perforated doors with a full height door stiffener are standard. Secure-Air-Flow, diamond perforated and louvered door styles are available

HANDLE: 3-point turn-handle

DOOR STRIKE: Continuous vertical door strike at both hinge sides

LATCHING: 3/16" turn-handle welded to 11 gauge cam engaging frame at top, bottom and center side of door. 3/8" diameter lock rods

HINGES: 16 gauge continuous piano hinge

SHELVES: 16 gauge hat shelf located 12" down from top, 16 gauge lower shelf located 18" up from bottom

COAT ROD: Stainless steel full-width coat rod located under hat shelf

WARRANTY: Lifetime

SIZES: See chart for standard sizes

Equipment Storage Locker Sizes

Single Tier		Equipment Storage lockers will ship in multiple column units up to 60" wide to meet individual job site conditions.
Widths	24", 30", 36", 42", 48"	
Depths	12", 16", 18", 22"	
Heights	60", 72", 84"	



**TWIN-FRAME
ALL WELDED**



AMP-1006 Athletic Box Lockers

ART METAL PRODUCTS ALL-WELDED BOX LOCKERS ARE PERFECT STORAGE SOLUTIONS WHEN SPACE IS AT A PREMIUM.

Incorporating our Twin-Frame design with easy to open single-point thru-the-door friction catch/door pull padlock hasps and diamond perforated doors and sides, our welded box lockers will stand the test of time. Our all-welded box lockers are excellent in combination with any of our AMP-1002, AMP-1003, AMP-1004 and AMP-1005 wardrobe lockers providing ratios to meet all of your P.E. locker requirements.




Shown with optional Padlock Strike Plates



Upgrade to AMP-1006E Elite Series lockers which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 12" wide AMP-1006E Elite Series all-welded box lockers.



Optional Padlock Strike Plates for box doors protect finish from being marred by padlock



Standard single-point thru-the-door finger pull padlock hasp for all box lockers

AMP-1006 Features

BODY CONSTRUCTION: Twin-Frame all-welded construction, 16 gauge 1-1/2" high continuous bottom with reinforcing channels welded to the underside at each side panel providing a rigid unit base. 16 gauge continuous top, 16 gauge diamond perforated sides are integral with front vertical frame, 18 gauge solid back

DOORS: 14 gauge diamond perforated doors are standard. Louvered, Secure-Air-Flow and plain door styles are available.

HANDLE/LATCHING: Single-point thru-the-door projecting finger pull handle with padlock hasp. Optional deep-drawn seamless stainless steel recessed handle is available

HINGES: 16 gauge continuous piano hinge

HOOKS: None

SHELVES: 16 gauge intermediate shelves

WARRANTY: Lifetime

SIZES: See chart below for standard box locker sizes

NOTE: 8" and 9" high box doors will be top hinged with a concealed 3/8" diameter continuous hinge rod

AMP Combination P.E. Lockers

The design flexibility of our all-welded athletic lockers allows us to mix and match wardrobe lockers with box lockers to meet any configuration and/or ratio your facility may demand. Please contact our **Sales Manager** at 1-800-252-5633. We will help you to create an environment that will be both esthetically pleasing and functional.

No.31-(3:1)	No.62-(3:1)	No.41-(4:1)	No.82-(4:1)	No.A6A-(4:1)	No.51-(5:1)	No.525-
No.61-(6:1)	No.626-(6:1)	No.6A-(7:1)	No.5B-(7:1)	No.5C-(8:1)	No.81-(8:1)	No.6B-(8:1)

**4
TIER
TO
9
TIER**

Widths for all-welded box locker openings 12", 15", 18"

Depths for all-welded box locker openings 12", 16", 18", 22"

TIER	OPENING HEIGHTS	COLUMN HEIGHTS
Four Tier	8", 9", 12", 15", 18"	32", 36", 48", 60", 72"
Five Tier	12", 14.4"	60", 72"
Six Tier	8", 10", 12"	48", 60", 72"
Seven Tier	10.3"	72"
Eight Tier	8", 9"	64", 72"
Nine Tier	8"	72"

Notes: All welded lockers will ship in multiple column units up to 60" wide to meet individual job site conditions



TASKFORCEXP

Emergency Response Unibody All-Welded Performance Lockers



- **UTILITY BELT HOOK**
- **LOCKING SECURITY BOX**
- **ONE SIDE POCKET**, to accommodate a 1" thick clipboard
- **FULL HEIGHT PIANO HINGE**
- **FULL HEIGHT DOOR STIFFENER**
- **OPTIONAL LOWER STORAGE AREA** with pull-out drawer doubles as a seat with top

Base drawer is auto-locking when upper doors are latched



Available with and without base storage compartment and seat

Features

BODY CONSTRUCTION: Unibody all-welded, 16 gauge solid sides, galvanneal corrosion resistant sheet steel. Back is 18 gauge

BODY STYLES: Single tier, designed for specialized use

FEATURES: Security box (9" x 12") with keyed lock

DOOR: 14 gauge louvered double doors with full-height welded-in stiffener. Security box door is not vented

HINGES: 16 gauge continuous piano type

HANDLE: 3-point high-security turn handle latching handle

HOOKS: Two single wall hooks in wardrobe area plus single hook in opening below security box

COAT RODS: One at vertical wardrobe section

SHELVES: 16 gauge, two full-width at top, one partial shelf

WARRANTY: Lifetime

Standard Upper Unit Sizes

WIDTHS	24", 30", 36", 48"
DEPTHS	18", 24"
HEIGHTS	72"

Standard Lower Base Sizes

WIDTHS	24", 30", 36"
DEPTHS	30", 36"
HEIGHTS	18"

CUBBIE

Unibody All-Welded SCHOOL CUBBIE LOCKERS



Features

BODY CONSTRUCTION: Unibody all-welded 16 gauge steel construction, backs are 18 gauge, bottom is galvanneal sheet steel for maximum corrosion resistance, hemmed and beaded dividers are safe to the touch

BODY STYLES: Open design, 4 body styles

SHELVES: 16 gauge welded to body for added rigidity with a beaded leading edge for added safety

NOTES: Easily secures to wall and floor for added safety, low installation costs, reduced installation time, low maintenance, low life-cycle cost, lifetime warranty, insect and termite proof. All welded cubbies will ship in multiple column units up to 60" wide to meet individual jobsite conditions.

WARRANTY: Lifetime

MODEL SIZES	WIDTH	DEPTH	HEIGHT
PRIMARY CUBBIE	12", 15"	12", 16"	48"
PRIMARY II CUBBIE	12", 15"	12", 16"	48"
PRIMARY JR. CUBBIE	12", 15"	12", 16"	24"
BACKPACK CUBBIE	15", 18"	12", 16"	48"





TURNOUT GEAR

Fully-Framed All-Welded Firefighter Lockers



- ✓ **Heavy-Duty, all welded, rugged construction.**
- ✓ **Maximum ventilation with expanded metal sides.**
- ✓ **Upper shelf provides storage for helmets and head gear.**
- ✓ **Without base models include ventilated bottom.**
- ✓ **Open-front provides quick access to gear and clothing.**
- ✓ **721 Relay Red hammertone textured powder coat finish.**



Base model shown with standard perforated base and stainless steel coat rod.



Shown with optional security box and optional foot locker.



Shown with optional ventilated door and metal base.

Features

BODY CONSTRUCTION: Fully-framed all-welded tubular frame construction, 13 gauge 1/2" fully-framed flattened expanded metal sides, 18 gauge solid back, 16 gauge galvanized bottom

DOORS (OPTIONAL): 14 gauge galvanized steel. Security box door is solid. Full-height door is diamond perforated and includes 18 gauge door stiffener

HANDLE/LATCHING: Optional security box has friction catch, finger pull. Optional full-height door has gravity lift-type multi-point spring loaded latching and stainless steel recessed handle. Optional foot locker is prepared for padlocks only

HINGES: Optional doors have heavy-duty 13 gauge 7-knuckle 3 1/2" hinges

SHELVES: Two upper 16 gauge galvanized steel shelves are standard

HOOKS/COAT ROD: Four single prong hooks and stainless steel coat rod are standard

WARRANTY: Lifetime

SIZE 24 3/4" wide x 22" deep x 84" high (actual) add 2 1/4" to overall height for models with base

Base model and upper security box models are in stock with and without metal base.

UNIFORM Exchange Lockers™

8 PERSON UNIFORM Exchange Locker

Model HUE214-8P
(32-9/16" w X 21" d X 84" h)



9 PERSON UNIFORM Exchange Locker

Model HUE454-9P
(24" w X 15" d X 84" h)



FULL HEIGHT Hanging Uniform Locker

Model HUE214-1
(32-9/16" w X 21" d X 84" h)





HALF HEIGHT Hanging Uniform Locker

Model HUE214-2
(32-9/16" w X 21" d X 84" h)



SOILED UNIFORM Exchange Locker

Model HUE614-1
(26" w X 21" d X 84" h)



**HEAVY-DUTY PADLOCK
HASP HANDLES
(LOCKS NOT INCLUDED)**



**USER DOORS
REINFORCED AT LATCHES**

Features

BODY CONSTRUCTION: 24 gauge, backs perforated for ventilation, galvanized bottoms

BODY STYLES: Full and half height hanging uniform lockers, 9 person folded uniform exchange lockers, 8 person hanging uniform exchange locker, soiled uniform locker

DOOR: User doors are 20 gauge (louvered at 8 and 9 Person)

HINGES: 5 knuckle (master door)

FRAME: Master door frame is 16 gauge

LATCHING: Master Door: Multi-point with industry standard key lock User Doors: Single-point turn latch for padlocks (locks not included)

COAT RODS: Standard for full and half height hanging uniform lockers and 8-Person exchange lockers

NOTES: All uniform exchange lockers ship fully-assembled

WARRANTY: One year



STANDARD KD Wardrobe Lockers



MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks



Deep drawn stainless steel recessed handle with gravity lift-type latching

Standard KD Wardrobe Locker Features doors 20" high and over

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 16 gauge louvered doors, 18 gauge for 9" wide, are standard. Plain, Secure-Air-Flow, Safety-View and diamond perforated door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher

- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1- single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See chart below for sizes

STANDARD WARDROBE SIZES FOR KNOCK DOWN LOCKERS

TIER	WIDTH	DEPTH	OPENING HEIGHT	FRAME HEIGHT
SINGLE TIER	9" 12" 15" 18" 24"	12" 15" 18" 21" 24"	36" 48" 60" 72"	36" 48" 60" 72"
DOUBLE TIER	9" 12" 15" 18"	12" 15" 18" 21" 24"	30" 36"	60" 72"
TRIPLE TIER	9" 12" 15"	12" 15" 18"	20" 24"	60" 72"

STANDARD KD Box Lockers

MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks

Standard single-point thru-the-door finger pull padlock hasp



Optional Padlock Strike Plates for box doors protect finish from being marred by padlock



Standard KD Wardrobe Locker Features doors 18" high and lower

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 18 gauge louvered doors are standard. Plain, Secure-Air-Flow, Safety-View Plus and diamond perforated door styles are available

FRAME: 16 gauge frame

HANDLE: Projecting finger pull

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point thru-the-door finger pull padlock hasp

HINGES: 16 gauge continuous piano hinge

HOOKS: None

NOTES: All production KD lockers are supplied without legs unless otherwise specified. Safety-View Plus polycarbonate doors are available for 12" wide x 12" high five and six tier box doors only

WARRANTY: 2 years

SIZES: See chart below for sizes

STANDARD KD BOX LOCKER SIZES

TIER	WIDTH	DEPTH	OPENING HEIGHT	FRAME HEIGHT
FOUR TIER	12" 15"	12" 15" 18"	15" 18"	60" 72"
FIVE TIER	12" 15"	12" 15" 18"	12" 14.4"	60" 72"
SIX TIER	12" 15"	12" 15" 18"	12"	72"

STANDARD KD Specialty Lockers

DUPLEX

Duplex Lockers are the most economical full length locker available. Duplex lockers provide two completely private lockers in each frame. One hat shelf and two single wall hooks are standard in each wardrobe opening. Coat rod is optional.

TWO-PERSON

Two-Person Lockers provide ample storage space for two users in a 15" wide space. Upper box doors are controlled by command latches located in the corresponding lower compartment. Two single hooks per wardrobe opening is standard. Coat rod is optional.

Note:

- Plain, Secure-Air-Flow and diamond perforated doors are available for all specialty lockers.
- Safety-View Plus polycarbonate doors are available for Sixteen Person and 4 wide wall mount.



Deep drawn stainless steel recessed handle with gravity lift-type latching is standard for Duplex and Two-Person wardrobe doors.

Specialty Lockers

STANDARD LOCKER SIZES	WIDTH	DEPTH	OPENING HEIGHT	FRAME HEIGHT
Two Person	15" 18"	12", 15", 18", 21"	N/A	60", 72"
Duplex	15"	12", 15", 18", 21"	60", 72"	60", 72"
*Sixteen Person	72"	18"	12"	78" (with 6" legs)
4-Wide Wall Mount	48"	18"	12"	14-3/4"

SIXTEEN PERSON

Sixteen Person lockers are the economical solution for personal security along with hanging space for full length garments. Ideal for student & teacher lounges, offices, commercial and retail establishments. 48" coat rod and 6" legs are standard.

6" high legs are standard for 16-Person lockers only

4-WIDE WALL MOUNT

Wall mount Lockers provide ample additional storage space. 48" undermount coat rod is optional.

STANDARD QUIET Lockers

OUR STANDARD QUIET LOCKERS ARE DESIGNED TO REDUCE NOISE IN HIGH TRAFFIC AREAS.

STANDARD QUIET Economy Lockers

Standard Quiet lockers are constructed exactly like our Standard K.D. lockers except the door is furnished without louvers eliminating air rush through the door and providing quiet operation.

Sound deadening panel is standard on Artisan Quiet lockers

MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks

Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 16 gauge plain doors (18 gauge for 9" wide), Sound deadening panel and vinyl coated latching for Whisper quiet lockers only

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep drawn stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1- single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified. Standard Quiet and Artisan Quiet lockers are available with plain doors only. Additional perforations/louvers in the door will increase decibel levels thus reducing the efficiency of our quiet design.

WARRANTY: 2 years

SIZES: See wardrobe locker chart on page 13 for sizes



Deep drawn stainless steel recessed handle with gravity lift-type latching



Ventilated top and bottom door flanges are included on all Standard Quiet and Artisan Quiet lockers



HEAVY-DUTY CORRIDOR (HDC) Lockers

HEAVY-DUTY CORRIDOR LOCKERS ARE DESIGNED TO INCLUDE ALL THE GREAT FEATURES OF OUR STANDARD KD WARDROBE LOCKERS EXCEPT THAT THE DOOR GAUGE IS INCREASED TO 14 GAUGE WHICH IS 25% HEAVIER THAN STANDARD 16 GAUGE DOORS.



MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks



Upgrade to Elite Series HDC Corridor lockers which include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Elite doors.

Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components

DOORS: 14 gauge louvered doors are standard. Plain, Secure-Air-Flow, Safety-View and diamond perforated door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher
- 2-point latching for openings 20" high thru 36" high

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1-single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See wardrobe locker chart on page 13 for sizes

Deep drawn stainless steel recessed handle with gravity lift-type latching



MAGNUM STUDENT KD Lockers

THE MAGNUM STUDENT K.D. SINGLE-POINT (NO MOVING PARTS LATCHING MECHANISM) CORRIDOR LOCKER IS BY FAR OUR QUIETEST K.D. LOCKER.



MAXoption

UPGRADES all body components to 16 gauge with 18 gauge back. Recommended when placing heavy items in lockers such as backpacks



Magnum Student Lockers include a 3" wide 18 gauge full height door stiffener spot welded to the inner door face and MIG welded to the hinge side as well as to the top and bottom door flanges providing a rigid torque-free door. A 1-1/2" wide stiffener will be furnished for 9" wide Magnum doors.

Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge solid body components,

DOORS: 14 gauge plain doors with 18 gauge full-height door stiffener are standard. Louvered, Secure-Air-Flow and diamond perforated door styles are available

FRAME: 16 gauge frame with 16 gauge horizontal cross member between doors on double and triple tier wardrobe lockers

HANDLE: Deep-drawn seamless stainless steel recessed handle

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING: Single-point maintenance-free quiet, 11 gauge latch hooks MIG welded to frame with pry resistant lug

HINGES: 16 gauge continuous piano hinge

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1- single hook for 9" wide openings 30" and higher

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified.

WARRANTY: 2 years

SIZES: See wardrobe locker chart on page 13 for sizes

Deep drawn stainless steel recessed handle with single point latching



HEAVY-DUTY VENTILATED (HDV) Lockers



**UPGRADE TO OUR ELITE
SERIES HDV LOCKERS** which
include a full height door stiffener
welded to the inner door face.

**UPGRADE TO OUR MAGNUM
STUDENT HDV LOCKERS**
which include our single-point latching
and a full height door stiffener welded
to the door inner face.



STANDARD deep
drawn stainless
steel recessed
handle with gravity
lift-type latching
for HDV wardrobe
doors 20" high and
higher



STANDARD
single-point thru-
the-door finger pull
padlock hasp for box
doors. Shown with
optional Padlock
Strike Plates

Features

**BODY CONSTRUCTION (WARDROBE & BOX
LOCKERS):** Knock down (KD) with 16
gauge solid top, bottom and intermediate
shelves, 16 gauge diamond perforated
sides, 18 gauge solid back

DOORS: 14 gauge diamond perforated
doors are standard. Louvered, Secure-
Air-Flow and Safety-View door styles are
available

FRAME: 16 gauge frame with 16 gauge
horizontal cross member between doors
on double and triple tier wardrobe
lockers

HINGES: 16 gauge continuous piano hinge

DOOR STRIKE: Continuous vertical door
strike at both hinge and latch side

WARDROBE LOCKERS (DOORS 20" AND HIGHER):

HANDLE: Deep-drawn seamless stainless
steel recessed handle

LATCHING: Gravity lift-type multi-point
spring loaded latching:

- 3-point latching for openings 48"

high and higher,

- 2 point latching for openings 20"
high thru 36" high

HOOKS: 2-single hooks and 1-double
hook is standard.

- 1- double hook only for triple tier
and 1-double

- 1- single hook for 9" wide openings
30" and higher

SHELVES: 16 gauge hat for single tier
openings 60" and 72" high

BOX LOCKERS: (DOORS 18" HIGH AND UNDER)

HANDLE: Single-point thru-the-door finger
pull padlock hasp

HOOKS: None

NOTES: All production KD lockers are
supplied without legs unless otherwise
specified

WARRANTY: 2 years

SIZES: See locker charts on page 13 for
sizes

DOOR VENTILATION Options

PLEASE REFER TO INDIVIDUAL PRODUCT PAGES FOR APPLICABLE OPTIONS.



Plain Doors
(Quiet)



Louvered Doors
(Standard)



Louvered Doors
(With Door Stiffener)



Diamond Perforated Doors
(High Ventilation)



Diamond Perforated Doors
(With Door Stiffener)



Secure-Air-Flow Doors
(Security Ventilation)



Safety-View Doors
(See-thru Polycarbonate
Insert)



Safety-View Plus Box Doors
(See-thru Polycarbonate Door)
12" wide x 12" high and
12" wide x 18" high KD box doors only



Hybrid Red Oak Plain Door



Hybrid Red Oak Panel Door

RECRUITER

Art Metal Products Custom Wood Sport Lockers

- All lockers ship fully-assembled
- Fabricated from furniture grade red oak
- Strong, durable and long-lasting
- Excellent moisture resistance
- Shoulder pad storage
- Upper security box door includes built-in combination lock
- Optional team engraved logo on security box door
- Lower foot locker/seat allows for storage of bulk items
- Chrome plated coat rod

Features

BODY CONSTRUCTION: Wood lockers shall be fabricated from ¾" plain sliced red oak plywood throughout including sides, backs and hat shelves.

BODY STYLES: Open-front with upper security box and footlocker

STOCK SIZES: 24" wide x 24" deep x 84" high 30" wide x 24" deep x 84" high

FINISH: All locker parts to be finished with a three coat formaldehyde-free conversion varnish.

TRIM: Face trim, shelf valances, seat front nosing, seat hinge support blocking and seat side support cleats are made from red oak lumber

SECURITY BOX DOOR: Made from red oak lumber

HINGES: Continuous in bright brass plating

HOOKS: Two double prong metal hooks

CLOTHES ROD: Made from KV 1-1/16" diameter chrome plated steel, 075" wall thickness

UPPER SHELF: Covered with Wilson-Art 7888-60 Golden Oak plastic laminate for durability

APPEARANCE: Color: Natural red oak

WARRANTY: 1 year



Non-stock sizes, optional wood species and specific configurations are also available. Please consult factory for details.

The beauty is in the details...



Club Lockers



Shown with optional finished end panels, base and crown molding

Features

BODY CONSTRUCTION: Wood lockers shall be fabricated from $\frac{3}{4}$ " plain sliced red oak plywood throughout including sides, backs and hat shelves.

BODY STYLES: Single, double and triple tier

FINISH: All interior/front faces to be finished with a 3-coat formaldehyde-free conversion varnish

DOOR: Furniture grade red oak plywood, finished with 3 coats of lacquer

LATCHING: Cylinder key locks are standard

HINGES: Concealed european-style cabinet hinges

HOOKS: Two single hooks per single and double tier opening. One double prong ceiling hook for triple tier.

COAT RODS: Standard for single and double tier

SHELVES: Hat shelf is included in single tier lockers.

LEGS: No legs


APPEARANCE: Natural red oak



Available optional decorative crown molding and base in red oak finish



Optional wood species and door styles are available. Doors can be prepared for key locks, electronic locks, and padlocks. Please consult factory for details.



Key locks are standard



Concealed european style cabinet door hinges



AQUAMAX™ HDPE Solid Plastic Lockers

IDEAL FOR USE IN WET ENVIRONMENTS SUCH AS SHOWER AREAS, POOL AREAS AND OUTDOORS.



Standard Sizes	
WIDTH	12" 15" 18"
DEPTH	12" 15" 18"
HEIGHT	60" 72"

Available in single, double, triple, four, five, six and "Z" tier configurations..

Features

BODY CONSTRUCTION: High density (HDPE) Polyethylene plastic, 3/8" thick body panels

DOORS: 1/2" thick solid HDPE plain doors with perimeter ventilation

HANDLE (WARDROBE): Projecting solid plastic lift handle

HANDLE (BOX): Box doors 18" and under include a single-point projecting padlock hasp with door pull

LATCHING: Full-height lift-type latching for single, double and triple tier wardrobe lockers

HINGES: Continuous aluminum hinge is powder coated

HOOKS: Two stainless steel single prong hooks in single and double tier

SHELVES: Upper hat shelf and lower shelf included in single tier lockers 60" and 72" high

NOTES: All doors prepared for use with padlock (locks not included). Production locker body components are available in white only.

WARRANTY: 20 years

SIZES: See chart

MEDSAFE™ AQUAMAX™ Solid HDPE Plastic Antimicrobial Wardrobe & Box Lockers

HDPE CONTAINS A SPECIALLY FORMULATED ANTIMICROBIAL AGENT THAT PERMANENTLY RESISTS THE GROWTH OF BACTERIA, YEAST AND MILDEW.



Standard Sizes	
WIDTH	12" 15" 18"
DEPTH	12" 15" 18"
HEIGHT	60" 72"

Available in single, double, and "Z" tier configurations..

Features

BODY CONSTRUCTION: High density (HDPE) Polyethylene plastic, 3/8" thick body panels

DOORS: 1/2" thick solid HDPE plain doors with perimeter ventilation

HANDLE (WARDROBE): Projecting solid plastic lift handle

HANDLE (BOX): Box doors 18" and under include a single-point projecting padlock hasp with door pull

LATCHING: Full-height lift-type latching for single, double and triple tier wardrobe lockers

HINGES: Continuous aluminum hinge is powder coated

HOOKS: Two stainless steel single prong hooks in single and double tier

SHELVES: Upper hat shelf and lower shelf included in single tier lockers 60" and 72" high

NOTES: All doors prepared for use with padlock (locks not included). Production locker body components are available in white only.


WARRANTY: 20 years

SIZES: See chart



VERSAMAX™ Solid Phenolic Box & Wardrobe Lockers

THE UNIQUE NON-POROUS SURFACE OF PHENOLIC MATERIAL ELIMINATES THE ABILITY FOR MOLD, MILDEW AND BACTERIA TO GROW MAKING THESE LOCKERS IDEAL FOR WET AND DAMP AGENTS.



Standard Sizes	
WIDTH	12", 15", 18"
DEPTH	12", 15", 18"
HEIGHT	60", 72"

Features

BODY CONSTRUCTION: Phenolic construction, Sides and backs are 5/16" thick. Tops, bottoms and shelves are 3/8" thick.

DOORS: 1/2" thick solid phenolic with perimeter ventilation.

BODY STYLES: Single tier, double tier, six tier and z-tier

HANDLE (PADLOCK READY): 11 gauge finger-pull 304 stainless steel hasp, prepared for padlock

HANDLE (ELECTRONIC LOCK): Built-in Digitech Lock serves as handle

HANDLE (KEY CAM LOCK): Built-in key cam lock serves as handle

SHELVES: Hat shelf for single tier lockers

WARRANTY: 20 years

PHENOLIC ADVANTAGES:

- Phenolic's unique non-porous surface eliminates the ability for mold, bacteria and mildew to grow making it ideal for wet areas.
- Corrosion Resistant
- Impact and dent resistant
- Easy to clean
- Fungus and odor resistant
- Graffiti resistant (pencil, pen, paint and most common markers)

AVAILABLE FROM STOCK WITH 3 DIFFERENT LOCK CHOICES:



304 STAINLESS STEEL Stainless Steel Lockers



PERFECT FOR AREAS PRONE TO RUST AND SANITATION CONCERNS AND ARE IDEAL FOR FOOD INDUSTRY, POOL AREA AND OUTDOOR APPLICATIONS.



Features

BODY CONSTRUCTION: Knock down (KD) with 24 gauge 304 stainless steel body components

DOORS: 16 gauge 304 stainless steel louvered doors are standard.

FRAME: 16 gauge 304 stainless steel frame with 16 gauge horizontal cross member between doors on double tier wardrobe lockers

HANDLE (WARDROBE): Deep-drawn seamless 304 stainless steel recessed handle

HANDLE (BOX): Projecting finger-pull handle is standard

DOOR STRIKE: Continuous vertical door strike at both hinge and latch side

LATCHING (WARDROBE): 12 gauge latch hooks MIG welded to frame. Gravity lift-type multi-point spring loaded latching:

- 3-point latching for openings 48" high and higher

- 2-point latching for openings 20" high thru 36" high

LATCHING (BOX): Single-point thru-the-door finger pull padlock hasp

HINGES: 2" long 16 gauge 5-knuckle stainless steel hinges. 3 hinges for doors 48" and higher and 2 for doors under 48" high.

HOOKS: 2-single hooks and 1-double hook is standard. 1- double hook only for triple tier and 1-double and 1- single hook for 9" wide openings 30" and higher. No hooks in openings less than 20" high.

SHELVES: Hat shelf for single tier openings 60" and 72" high

NOTES: All production KD lockers are supplied without legs unless otherwise specified

WARRANTY: 2 years

SIZES: See wardrobe and box locker charts on page 13 for sizes



LOCKER BENCHES, PEDESTALS & LOCKS



4805 HEAVY DUTY STEEL PEDESTAL
Fabricated from 14 ga tube steel with 11 ga formed flanges.
Color: Parchment



4825 STAINLESS STEEL PEDESTAL
Fabricated from 16 ga stainless steel. Designed for movable and fixed use.
Color: Unpainted




8032 ADJUSTABLE STEEL PEDESTAL
With cast aluminum base and concealed anchoring to floor.
Color: Parchment




4810 EXTRA HEAVY-DUTY CAST IRON PEDESTAL
With 6" diameter top and bottom flanges with three anchoring holes.
Color: Parchment



4820 ALUMINUM MOVABLE PEDESTAL
Includes holes for optional permanent anchoring to floor.
Color: Parchment



SHOWN WITH 4820 PEDESTALS



SHOWN WITH 4810 PEDESTALS

LOCKER BENCHES are 9-1/2" wide x 1-1/4" thick and made from laminated white northern hard wood. They are finished with one coat deep penetrating hot sealer and two coats of heavy body high impact hot hydraulically applied lacquer. Bench tops are standard in one foot increments from 3' thru 15'. Non-standard lengths are available on special order (pedestal requirement will be for next standard size up).



BENCH TOP LENGTH	3' - 8'	9' - 14'	15'
PEDESTALS REQUIRED	2	3	4

NOTE: Bench top lengths over 15' will be supplied in sec-

PADLOCKS, BUILT-IN LOCKS & SPECIALTY LOCKS Art Metal Products recommends **MASTER LOCK CO.®** locks for use on all AMP Lockers.



MASTER LOCK CO. BUILT-IN COMBINATION LOCK

Available in spring-bolt and dead-bolt styles, are key controlled and include multiple combination settings



MASTER LOCK CO. COMBINATION PADLOCK

Available standard and master-keyed, Master Lock padlocks can be used on all locker types



MASTER LOCK CO. BUILT-IN KEY LOCK

Available in spring-bolt and dead-bolt styles - Available in standard or master-keyed



MASTER LOCK CO. ADA COMPLIANT LOCK

Available for all Master Lock models



NON-STOCK ITEMS - CALL FOR AVAILABILITY



SAFE-O-MAT® BUILT-IN COIN, TOKEN & CARD LOCKS

Available in coin return and coin collect as well as token collect and card access styles



DIGILOCK® KT AND KP SERIES
Digital locks allow access using a programmable four-digit code



DIGILOCK® T-SERIES
Digitally controlled locks allow access by touching a key fob to the lock which automatically unlocks the door.



HALLOWELL DIGITECH LOCKS
DigiTech locks allow access using a programmable four-digit code

NOTE: An ADA compliant lock must be used on any locker that is required to meet ADA guidelines



STANDARD KD
Wardrobe & Box Lockers



BLACK TIE
Commercial Lockers



STAINLESS STEEL
Wardrobe & Box Lockers



SAFETY-VIEW
Wardrobe Lockers



SAFETY-VIEW PLUS
Box Lockers



DIGITECH SAFETY-VIEW
Electronic Box Lockers



READYBUILT & READYBUILT II
Ready-To-Go Lockers



QUICKSHIP Lockers
Ship in 5 Days

Art Metal Products' Quickship stock locker program is the largest of its kind. Our unparalleled array of stock lockers and services assures that your order will ship fast and secure while saving you time and money on shipping cost.

All products are packaged above industry standards to ensure your material arrives in perfect condition. Art Metal Products strives to provide the best in logistics, service and product diversity resulting in a satisfying customer experience with every order.



PE/GYM
All-Welded
Ventilated Lockers



STANDARD QUIET
Economy Lockers



MAXVIEW
High Visibility Lockers



SECURITYMAX
High Security Lockers



CLUB
Prestigious
Wood Lockers



HYBRID
Wood & Metal
Lockers



TA-50
Ventilated
Gear Lockers



RECRUITER
Open-Front
Wood Sport Lockers



6 Distribution Centers Nationwide

Art Metal Products' six distribution centers are strategically located around the United States to allow for localized distribution. All six distribution centers are company owned and company operated to ensure your orders are properly prioritized and that all operations meet our company standards.


Each of the six distribution centers are full service, offering both knock-down and fully-assembled lockers which allows Art Metal Products to lead the way in localized quality services.

Our wide variety of stock lockers allows you to get the exact locker you need no matter what your specification requirements may be: box or wardrobe lockers, plastic, wood or metal lockers, high performance or emergency response, open-front or high security.

We have the right locker for you, and when you order from stock, you save money and time.

To see a complete list of stock lockers, visit our website:

www.ArtMetalProducts.com



Now you can select from **24 DESIGNER POWDER COAT FINISHES** and choose Two-Tone Color combinations for your production lockers at no additional cost.

*CHOOSE DOORS OF ONE COLOR AND FRAME OF A SECOND COLOR TO ADD
MORE VISUAL IMPACT TO ANY PROJECT DESIGN.*



All surfaces shall be thoroughly cleaned with a seven stage hot-spray washing process and coated with a zirconium-based nanotechnology which provides a green alternative to traditional iron phosphate. This coating is completely phosphate-free and regulated heavy-metal free.

A high grade custom blended powder is applied by a computer controlled, highly efficient electrostatic paint system. The product is cured for 20 minutes at 350 degrees through a continuous baking oven to provide maximum paint adhesion, tough durability and a high grade paint finish.

All body components of production KD lockers will be painted our standard neutral color, currently Parchment (choice of Parchment or Hallowell Gray for HDV body components only).



800-252-5633

(954) 429-9662

Fax (954) 428-3843

401 Jim Moran Blvd., P.O. Box 4157, Deerfield Beach, FL 33442

www.ArtMetalProducts.com



METAL LOCKER COLOR SELECTION



714 Snow White



708 Midnight Ebony



739 Bubble Gum



711 Platinum



706 Heather



725 Hallowell Gray



738 Charcoal



729 Parchment



713 Sand Beige



710 Sandstone



723 Trophy



737 Forest Gold



728 Hoop



721 Relay Red



727 Maroon



720 Pep Rally



719 Jersey



731 Denim



717 Grand Slam



707 Marine Blue



722 Tidal Wave



705 Green Mist



735 Basil



704 Evergreen

Colors shown are an approximate representation of the actual color. Please do not make your final color selection from printed media or internet images, as they may not be 100% accurate.

**For a more accurate
color selection call**

800-252-5633

**to request a full set of our
master color samples.**

www.ArtMetalProducts.com

Art Metal Products reserves the right to modify its designs and/or make changes in specifications or colors without prior notice.
In the interest of safety, all AMP lockers, cubbies and shelving must be securely anchored to the floor and/or wall.